$These \ legacy \ products \ are \ EOL. \ For \ product \ replacement \ alternative, \ please \ see \ Patton's \ Model \ 1040 \ (http://www.patton.com/products/product_detail.asp?id=113) \ or \ Model \ 1080 \ (http://www.patton.com/products/product_detail.asp?id=78).$

Overview

The Model 2084 high speed RS-232 to RS-485 interface converter supports async RS-232 data rates to 115.2 kbps over 2-wires. Passing one control signal in each direction, the Model 2084 can handle up to 50 terminal drops in a multipoint polling



environment. The Model 2084 has five configuration parameters, allowing the unit to be "fine tuned" to a variety of point-to-point or multipoint applications. In addition, Silicon Avalanche Diodes provide 600 watts per wire of protection against harmful data line transient surges

The Model 2085 provides high speed RS-232 to RS-485 conversion over one or two unconditioned twisted pair. Otherwise, the Model 2085 has the same features and specifications as the Model 2084.

 ${\it Model 2086 includes optical isolation along with the same set of features provided with the Model 2085. The Model 2086 requires an external power supply.}$

Highlights

Rack Mountable Units, Too! These rack cards each contain two converters, so you can fit 32 converters in a 19" rack.



Features

- Conforms to the EIA RS-485 Standard
- Operates Asynchronously, Point-to-Point or Multipoint, over 2 or 4 Wires
- Data Rates to 115,200 bps
- Selectable RTS-CTS Delay
- Selectable High-Low Impedance
- Able to Operate with or without "Echo"
- Carrier may be Continuous or "Controlled by RTS"
- 50 drops in a multi-point environment
- No AC Power or Batteries Required
- Built-In Surge Protection Standard
- Model 2086 features optical isolation
- Made in the USA This Patton equipment is designed by Patton engineers and built in our Gaithersburg, Maryland facility. Patton's American-made manufacturing process delivers high-quality networking solutions with reliability you can trust.

Specifications

Transmission Format: Asynchronous

Data Rate: Up to 115,200 bps Range: Up to 9 miles (14.5km)

RS-232 Interface: DB-25, male or female (DCE/DTE switchable)

 $\textbf{RS-485 Interface Options:} \ \textbf{DB-25}, male\ or\ female; \ \textbf{RJ-11}\ or\ \textbf{RJ-45}\ jack; terminal\ block\ with\ strain\ relief$

Control Signals: DSR turns "ON" immediately after the terminal raises DTR; DCD turns "ON" after recognizing the receive signal from the line; CTS turns "ON" after the terminal raises RTS.

RTS/CTS Delay: 0 msec or 8 msec

Carrier: The carrier is switch selected either continuous operation or controlled by RTS

Power: Draws operating power from RS-232 data and control signals; no AC power or batteries required.

Temperature: 32° to 122° F (0° to 50° C) **Size:** 2.66" x 2.10" x 0.73" (6.8 x 5.3 x 1.9 cm)

Ordering

#	Model #	Description	Availability
1	2084F	RS-232 TO RS-485 INTERFACE CONVERTER (DB25F; TERMINAL BLOCK); 2-WIRE	Special Order
2	2084FRJ11	RS-232 TO RS-485 INTERFACE CONVERTER (DB25F; RJ11); 2-WIRE	Special Order
3	2084FRJ45	RS-232 TO RS-485 INTERFACE CONVERTER (DB25F; RJ45); 2-WIRE	Special Order
4	2084M	RS-232 TO RS-485 INTERFACE CONVERTER (DB25M; TERMINAL BLOCK); 2-WIRE	Special Order
5	2084MRJ11	RS-232 TO RS-485 INTERFACE CONVERTER (DB25M; RJ11); 2-WIRE	Special Order
6	2084MRJ45	RS-232 TO RS-485 INTERFACE CONVERTER (DB25M; RJ45); 2-WIRE	Special Order
7	2085F	RS-232 TO RS-485 INTERF. CONV.	Special Order
8	2085F-25F	RS-485 CONVTR, DB25F - DB25F	Special Order
9	2085F-25M	RS-232 TO RS-485 INTERF. CONV.	Special Order
10	2085FDR11	RS-232 TO RS-485 CONV W/D RJ11	End of Life-Notice
11	2085FDR45	RS-232 TO RS-485 CONV W/D RJ45	End of Life-Notice
12	2085FRJ11	RS-232 TO RS-485 CONV W/RJ11	Special Order
13	2085FRJ45	RS-232 TO RS-485 CONV W/RJ45	Special Order
14	2085M	RS-232 TO RS-485 INTERF. CONV.	Special Order
15	2085M-25F	RS-232 TO RS-485 INTERF. CONV.	Special Order
16	2085M-25M	RS-232 TO RS-485 INTERF. CONV.	Special Order
17	2085MRJ11	RS-232 TO RS-485 INTERF. CONV.	Special Order
18	2085MRJ45	RS-232 TO RS-485 INTERF. CONV.	Special Order
19	2085RC11	DUAL 2085 RCK CARD W/RJ11 R CD	End of Life-Notice
20	2085RC45	DUAL 2085 RCK CARD W/RJ45 R CD	End of Life-Notice
21	2086F	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25F; TERMINAL BLOCK); 120VAC	End of Life-Notice
	+ Accessories		
วว	2086F/230	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25F; TERMINAL BLOCK); 230VAC	End of Life-Notice
22	+ Accessories	K3-232 TO K3-403 OF TICALLY ISOLATED INTERFACE CONVERTER (UD25F, TERMINAL BLOCK), 230VAC	End of Life-Notice
23	2086FRJ11	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25F; RJ11); 120VAC	End of Life-Notice
	+ Accessories		
			- 1 6.16
24	2086FRJ11/230	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25F; RJ11); 230VAC	End of Life-Notice
	+ Accessories		
25	2086FRJ45	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25F; RJ45); 120VAC	End of Life-Notice
	+ Accessories		
26	2086FRJ45/230	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25F; RJ45); 230VAC	End of Life-Notice
	+ Accessories		
27	2086M	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25M; TERMINAL BLOCK); 120VAC	End of Life-Notice
	+ Accessories		Zird or Zire Hotice
28	2086M/230	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25M; TERMINAL BLOCK); 230VAC	End of Life-Notice
	+ Accessories		
			- 1 6.16
29	2086MRJ11	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25M; RJ11); 120VAC	End of Life-Notice
	+ Accessories		
30	2086MRJ11/230	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25M; RJ11); 230VAC	End of Life-Notice
	+ Accessories	(, , , , , , , , , , , , , , , , , , ,	
	_		
31	2086MRJ45	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25M; RJ45); 120VAC	End of Life-Notice
	+ Accessories		
33	2086MRJ45/230	RS-232 TO RS-485 OPTICALLY ISOLATED INTERFACE CONVERTER (DB25M; RJ45); 120VAC	End of Life-Notice
32	+ Accessories	TO 202 TO NO 100 OF THEMELI DOCKTED INTENTINGE CONVENTEN (DUZZON, NO+D), 120VAC	and of the Notice

Item Number Item Description SVC-SmartCare-BH **Premium Support for Business Hours** (/support/support.asp) SVC-SmartCare-24/7 Premium Support, 24 x 7 Coverage (/support/support.asp) SVC-SmartAssist-BH (/support/support-**Business Hour Support Services** professional.asp) SVC-SmartAssist-AH (/support/support-After Hours Support Services professional.asp) SVC-ENHWAR1 (/support/support-1 Year Enhanced Warranty warranty.asp) SVC-ENHWAR2 (/support/support-2 Year Enhanced Warranty warranty.asp) SVC-ENHWAR3 (/support/support-3 Year Enhanced Warranty warranty.asp) SVC-ENHWAR4 (/support/support-4 Year Enhanced Warranty warranty.asp) SVC-ENHWAR5 (/support/support-5 Year Enhanced Warranty warranty.asp) SVC-EXTWAR2 (/support/support-2 Year Extended Warranty warranty.asp) SVC-EXTWAR3 (/support/support-3 Year Extended Warranty warranty.asp) SVC-EXTWAR4 (/support/support-4 Year Extended Warranty warranty.asp) SVC-EXTWAR5 (/support/support-5 Year Extended Warranty warranty.asp)

Price
Contact us (/howtobuy/) for availability and pricing.

Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for

availability and pricing.

2, 4, & 8-Slot ClusterBoxes™

Related Products

professional.asp)

SVC-NETENG-HOUR (/support/support-

Model 1000CU2, 1000CU4 & 1000CU8 (/products/product_detail.asp?id=372) Model 1000R16 (/products/product_detail.asp?id=371)

1000R16 (/products/product_detail.asp?id=371) 16-Slot Mini-Rack

Network technician hour rate for pre-config services, after hours support, etc.

Backgrounders

FiberPlex Capabilities Guide (/backgrounders/FiberPlex_Capabilities_Statement.pdf)

CertificationsDeclaration of Conformity - Data Communication Devices Models: As per the attached sheet (/certifications/00109D1-001M.pdf)

Declaration of Conformity - Data Communication Devices: Short Range Modems, Interface Converters, Multiplexer Models (/certifications/02301D1-001H.pdf)

Data Sheets

End of Life Notice - Models 2084 and 2085 (/datasheet/EOL-Notice-2084_2085_201909.pdf)
Patton Product Life Cycle Color Codes (/datasheet/Life-Cycle-Availability-Codes.pdf)

Product & Solution Guides

Enterprise Networking Products Guide (/guides/07MENTNET-PG-lo.pdf)

User Manuals & Configuration Guides

Model 2084 Manual (/manuals/2084.pdf)

November 10, 2010

Company (/company/)

- > Contact Us (/company/contact-us.asp)
- > About Patton (/company/about.asp)
- > Jobs (/company/careers/)
- > Capabilities (/products/special/services.asp)
- > Quality & Responsibility (/company/environment/)
- > Legal (/legal/)

News & Events

- > Press Room/Releases (/press/)
- > Training & Events (/training/)
- > Library/Downloads (/resources/)

Partners & Resources (/partners/)

- > Partner Programs (/partners/)
- > Resources (/resources/)
- > Blog (https://blog.patton.com)

October 6, 2017

November 11, 2015 February 12, 2015

September 11, 2019 April 24, 2015

November 10, 2010

January 26, 1999

Support & Services (/support/)

- > Support Home (/support/)
- > Support Portal (/support/#portal)
- > Premium Support (/support/support.asp)
- > Software Upgrades (/support/upgrades/)
- > Warranty Services (/support/support-warranty.asp)
- > Returns & RMAs (/returns/)
- > Manuals (/manuals/)

Special Projects Group (SPG) (/products/special)

- > SPG Home (/products/special/)
- > Services & Capabilities (/products/special/services.asp)
- > Projects (/products/special/projects.asp)
- > Facilities (/products/special/facilities.asp)



Select your country

Sales: sales@patton.com (mailto:sales@patton.com) / +1 301 975 1000 Support: support@patton.com (mailto:support@patton.com) / +1 301 975 1007

Have Us Contact You

sue.chu@icomtechinc.com

Phone Number or

Products (/products/)

Unified Communications

> VoIP Gateways (/voip-> Line Drivers / Short Range Modems gateway/#products) > VoIP Routers (/voip-

router/#products) (/products/network-connectivity/#27) > VoIP IADs (/voip-> Ethernet Over Fiber (/products/network-

iad/#products)

controller/#products) > VoIP Appliances (/ip-

pbx/#products) > SS7 Media Gateways (/ss7-

gateway/#products) Software and Cloud > Virtual SBC (/virtualsbc/#products) > Virtual Access Router

(/virtual-accessrouter/#products) > VPN Server (/vpn-

server/#products) > IPv6 to IPv4 Network Gateway (/networkgateway/#products) > Intelligent Edge Orchestration (/intelligent-

edge-

orchestration/#products) > NFV & SDN (/nfv/#products) > Fiber Rack and Enclosure Systems

Network Access > Ethernet Extenders (/ethernet-

extender/#products)

> PoE Products (/poe/#products)

> xDSL Products (/xdsl/#products)

> Routers (/router/#products)

> Dial-Up Access (/dialup/#products)

Sunset Products (/products/sunsetproducts.asp)

Connectivity

(/products/network-connectivity/#11) > Fiber Serial DataCom (RS-232/422/530/188C)

connectivity/#23)

> SIP eSBCs (/session-border- > Multiplexers & Sharing Devices (/products/network-connectivity/#12) > Fiber Telecom (T1/E1/PRI, Analog and ISDN)

> (/products/network-connectivity/#28) > Pro AV Live and Media Broadcast Fiber Systems (/products/network-connectivity/#29)

> SFP (Small Form Pluggable) Modules and Kits (/products/network-connectivity/#30) > Fiber Alarming, Notification, Relay and Control (/products/network-connectivity/#24)

> Other Network Extenders

(/products/network-connectivity/#13) > Defense/Security Fiber Communications (/products/network-connectivity/#22) > Baluns (/products/network-connectivity/#3) > Surge Protectors & Opto-Isolators

(/products/network-connectivity/#15) > DataTaps, Testers, Adapters, Rack Kits (/products/network-connectivity/#7) > Interface Converters (/products/network-

connectivity/#10)

(/products/network-connectivity/#25) > Fiber Repeaters and Wavelength Division Multiplexers (WDM) (/products/network-

connectivity/#26)

> Waveguide RF Filters (/products/network-

connectivity/#31)

Join Our Email List

sue.chu@icomtechinc.com

Subscribe

Connect With Us

~





(https://twitter.com/pattonconnect) (https://www.linkedin.com/companies/patton-(https://www.fac electronics)

Copyright © 2001–2020 Patton Electronics Co., All Rights Reserved.

| Sitemap (/company/sitemap.asp) | Legal (/legal/) | Privacy Policy (/legal/privacy.asp) |
Disclaimer (/legal/terms-conditions.asp) | (https://twitter.com/pattonconnect) (https://www.facebook.com/PattonElectronics) (https://www.youtube.com/user/pattonelectronicsco) (https://www.linkedin.com/companies/patton-electronics) (/news.rss)