Products (/products/) > Connectivity (/products/network-connectivity/) > Fiber Alarming, Notification, Relay and Control (/products/network-connectivity/#24) > Contact Closure Systems (/products/network-connectivity/#24) > FiberPlex FOI-2990

View Printable (/products/product_detail.asp?id=561&v=print)

F0]+299

Θ

Contact Closure Systems

FiberPlex FOI-2990 Fiber Optic Isolator/Converter/Modem - contact closures; mission critical packaging

Fiber**Plex**

Packed in rugged military style metal enclosures, the FOI-2990 Series extends and isolates Control Signal and Relay Contacts over fiber.

Overview


The FOI-2990 series provide electrical isolation and extension of control signals and relay closures. Multimode optics on the units can extend the distance to 2km. The units can be used in areas of high electrical noise or in and out of RF shielded enclosures. The fiber optic cable is not susceptible to interference caused by impulse noise, crosstalk, or EMI.

The units are uni-directional. The FOI-2991 and FOI-2992 can accept up to 12 individual control signals. The FOI-2991 and FOI-2992 are optical transmitters, while the others are optical receivers. Both the FOI-2991 and FOI-2992 can accept up to 12 individual control signals. The FOI-2991 can only accept a DC voltage of 0 to +5V, while the FOI-2992 can accept either a DC or AC voltage of +12 to +24V. The FOI-2993 has 12 SPST Form A relays, and the FOI-2994 has 8 SPDT Form C relays. The FOI-2993 and FOI-2994 are latching and the FOI-2995 and FOI-2996 are non-latching.

During power interruptions or failures, the relays on the FOI-2993 and FOI-2994 will hold the last commanded state until powered is restored and the relays are commanded differently, while the FOI-2995 and FOI-2996 will revert to the open state.

Applications

A typical link consists of either an FOI-2991 or an FOI-2992 at one end of the network transmitting optical signals to an FOI-2993 or an FOI-2994 at the other end of the network with a single fiber optic cable between.



Features

- Isolation and extension of Control Signals over Fiber
- Rugged Military style enclosure with standalone and various rack and mounting options
- Rugged metal enclosures with RFI shielding

Specifications

The specifications for this product are contained in the User Manual

Ordering

# Model #	Description	Availability			
1 FOI-2991-ST	Isolator for control signal input, 12 circuit, contact closure inputs, Multimode ST optics (TX only), Power Options Sold Separately	General Availability			
+ Accessories					
2 FOI-2992-ST	Isolator for control signal input, 12 circuit 12-24 volts AC/DC inputs,, Multimode ST optics (TX only), Power Options Sold Separately	Special Order			
+ Accessorie	S				
3 FOI-2994-ST	Isolator for control signal output, 8 circuit, latching relay form C contacts, Multimode ST optics (RX only), Power Options Sold Separately	Special Order			
+ Accessorie	S				
4 FOI-2994-Z-ST	Isolator for control signal output, 8 circuit, latching relay form C contacts (channel 8 does not latch), multimode ST optics (RX only), Power Options Sold Separately	Special Order			

+ Accessories

Item Number	Item Description	Price
SVC-SmartCare-BH (/support/support.asp	, Premium Support for Business Hours)	Contact us (/howtobuy/) for availability and pricing. Contact us
SVC-SmartCare-24/7 (/support/support.asp	Premium Support, 24 x 7 Coverage)	(/howtobuy/) for availability and pricing.
SVC-SmartAssist-BH (/support/support- professional.asp)	Business Hour Support Services	Contact us (/howtobuy/) for availability and pricing.
SVC-SmartAssist-AH (/support/support- professional.asp)	After Hours Support Services	Contact us (/howtobuy/) for availability and pricing.
SVC-ENHWAR1 (/support/support- warranty.asp)	1 Year Enhanced Warranty	Contact us (/howtobuy/) for availability and pricing.
SVC-ENHWAR2 (/support/support- warranty.asp)	2 Year Enhanced Warranty	Contact us (/howtobuy/) for availability and pricing.
SVC-ENHWAR3 (/support/support- warranty.asp)	3 Year Enhanced Warranty	Contact us (/howtobuy/) for availability and pricing.
SVC-ENHWAR4 (/support/support- warranty.asp)	4 Year Enhanced Warranty	Contact us (/howtobuy/) for availability and pricing.
SVC-ENHWAR5 (/support/support- warranty.asp)	5 Year Enhanced Warranty	Contact us (/howtobuy/) for availability and pricing.
SVC-EXTWAR2 (/support/support- warranty.asp)	2 Year Extended Warranty	Contact us (/howtobuy/) for availability and pricing.

SVC-EXTWAR3 (/support/support- warranty.asp)	3 Year Extended Warranty	Contact us (/howtobuy/) for availability and pricing.	
SVC-EXTWAR4 (/support/support- warranty.asp)	4 Year Extended Warranty	Contact us (/howtobuy/) for availability and pricing.	
SVC-EXTWAR5 (/support/support- warranty.asp)	5 Year Extended Warranty	Contact us (/howtobuy/) for availability and pricing.	
SVC-NETENG-HOUR (/support/support- professional.asp)	Network technician hour rate for pre-config services, after hours support, etc.	Contact us (/howtobuy/) for availability and pricing.	
Backgrounders FiberPlex Capabilities	October 6, 2017		
Data Sheets			
FiberPlex PSQ X909 (/	July 24, 2015		
Patton Product Life C	April 24, 2015		
FiberPlex CMA 2001/3	April 8, 2015		
FiberPlex PSQ X910 (/	June 1, 2013		
- "	datasheet/Fiberplex_PSQ-x920_130601.pdf)	June 1, 2013	
FiberPlex RMC 2101 (January 1, 2012		
FiberPlex RMC 3101 (, FiberPlex RMC 5000 (,	January 1, 2012 January 1, 2012		
Product & Solution	on Guides		
FiberPlex Connectivity Product Guide (/guides/07FPC-OV_lo-res.pdf)			
Enterprise Networkin	August 24, 2018 November 10, 2010		
	Configuration Guides		
FiberPlex Stand Alone Power Supply PSQ-4912-K User Manual (/manuals/PSQ-4912_User_Manual_170113.pdf)			
FiberPlex Stand Alone Power Supply PSQ-2909/PSQ-3909/PSQ-4909 PSQ-2920/PSQ-3920/PSQ-4920 User Manual (/manuals/PSQ-X909_X920_User_Manual_150724.pdf)			
FiberPlex Chassis Mo	July 17, 2015		
	, ,		

March 5, 2015

Company (/company/)

3101_2101_Manual_150303.pdf)

- > Contact Us (/company/contact-us.asp)
- > About Patton (/company/about.asp)
- > Jobs (/company/careers/)
- > Capabilities (/products/special/services.asp)
- > Quality & Responsibility (/company/environment/)

FiberPlex Rack Mount Chassis RMC/2101/RMC-3101/RMC-3102 User Manual (/manuals/RMC-

> Legal (/legal/)

News & Events

- > Press Room/Releases (/press/)
- > Training & Events (/training/)
- > Library/Downloads (/resources/)

Partners & Resources (/partners/)

- > Partner Programs (/partners/)
- > Resources (/resources/)
- > Blog (https://blog.patton.com)

Products

Connectivity (/products/) <u>Unified Communications</u> > Line Drivers / Short Range Modems (/products/network-> VoIP Gateways (/voipconnectivity/#11) gateway/#products) > Fiber Serial DataCom (RS-> VoIP Routers (/voip-232/422/530/188C) router/#products) (/products/network-> VoIP IADs (/voipconnectivity/#27) iad/#products) > Ethernet Over Fiber > SIP eSBCs (/session-(/products/networkborderconnectivity/#23) controller/#products) > Multiplexers & Sharing Devices > VoIP Appliances (/ip-(/products/networkpbx/#products) connectivity/#12) > SS7 Media Gateways > Fiber Telecom (T1/E1/PRI, Analog (/ss7and ISDN) (/products/networkgateway/#products) connectivity/#28) Software and Cloud > Pro AV Live and Media Broadcast > Virtual SBC (/virtual-Fiber Systems (/products/networksbc/#products) connectivity/#29) > Virtual Access Router > SFP (Small Form Pluggable) (/virtual-access-Modules and Kits router/#products) (/products/network-> VPN Server (/vpnconnectivity/#30) server/#products) > Fiber Alarming, Notification, Relay > IPv6 to IPv4 Network and Control (/products/network-Gateway (/networkconnectivity/#24) gateway/#products) > Other Network Extenders > Intelligent Edge (/products/network-Orchestration connectivity/#13) (/intelligent-edgeorchestration/#products)> Defense/Security Fiber Communications > NFV & SDN (/products/network-(/nfv/#products) connectivity/#22) Network Access > Baluns (/products/network-> Ethernet Extenders connectivity/#3) (/ethernet-> Surge Protectors & Opto-Isolators extender/#products) (/products/network-> PoE Products connectivity/#15) (/poe/#products) > DataTaps, Testers, Adapters, Rack > xDSL Products Kits (/products/network-(/xdsl/#products) connectivity/#7) > Routers > Interface Converters (/router/#products) (/products/network-> Dial-Up Access (/dialconnectivity/#10) up/#products) > Fiber Rack and Enclosure Systems Industrial (/products/network-> Industrial Ethernet > Unmanaged Industrial connectivity/#25) > Fiber Repeaters and Wavelength **Ethernet Switch** Division Multiplexers (WDM) > Managed Industrial (/products/network-Ethernet Switch connectivity/#26) > PoE Industrial Switch > Waveguide RF Filters (/products/network-Sunset Products connectivity/#31)

<u>Sunset Products</u> (/products/sunsetproducts.asp)

Support & Services (/support/)

- > Support Home (/support/)
- > Support Portal (/support/#portal)
- > Premium Support (/support/support.asp)
- > Software Upgrades (/support/upgrades/)
- > Warranty Services (/support/support-warranty.asp)
- > Returns & RMAs (/returns/)
- > Manuals (/manuals/)

Special Projects Group (SPG) (/products/special)

- > SPG Home (/products/special/)
- > Services & Capabilities (/products/special/services.asp)
- > Projects (/products/special/projects.asp)
- > Facilities (/products/special/facilities.asp)



- (https://twitter.com/pattonconnect) 🧲
- (https://www.facebook.com/PattonElectronics) 💮
- (https://www.youtube.com/user/pattonelectronicsco) 💼
- (https://www.linkedin.com/companies/patton-electronics) 🔊 (/news.rss)